

Caliza Rlv

Urban Style



Caliza RLV Beige 33,3x33,3 cm_13,1"x13,1"

PORCELAIN TILES

60x90 cm | 40x60 cm | 33,3x33,3 cm
23,6"x35,4" | 15,7"x23,6" | 13,1"x13,1"

BESTILE

CALIZA RLV *by Bestile*



CALIZA RLV *by Bestile*



CALIZA RLV *by Bestile*

Urban Style



33,3x33,3 cm | 40x60 cm
13,1"x13,1" | 15,7"x23,6"

Caliza RLV
Porcelain Tiles

60x90 cm
23,6"x35,4"

20 mm thickness available
in upon minimun order.
20 mm disponible
bajo pedido minimo.

60x90 cm
23,6"x35,4"



Caliza RLV White

40x60 cm
15,7"x23,6"



Caliza RLV White


33,3x33,3 cm
13,1"x13,1"



Caliza RLV White




Caliza RLV Sand



Caliza RLV Sand



Caliza RLV Sand



Caliza RLV Beige



Caliza RLV Beige



Caliza RLV Beige

40x60x1,2 cm
15,7"x23,6"x0,5"



Conques Caliza Mix

40x60x1,2 cm
15,7"x23,6"x0,5"



Spica Caliza Mix

17x52 cm
6,7"x20,5"



Hanko Beige



Hanko Greige



Hanko Grafito



Recommended joint width: 1.5 mm.

For optimal adhesion, prepare the grout by mixing 50% clean water and 50% latex additive.

Junta recomendada: 1,5 mm.

Para una adherencia óptima, preparar el material de rejuntado mezclando 50% de agua limpia y 50% de aditivo de látex.



Hanko Grafito 17x52 cm_6,7"x20,5" & Caliza RLV Sand 60x90 cm_23,6"x35,4"

Size		Pz Bx	Sqm Bx	Kg Box	Bx Pallet	Sqm Pallet	Kg Pallet
33,3x33,3 cm _ 13,1"x13,1"	GPR	12 pz	1,33	17,42	46 bx	61,18	816
60x90 cm _ 23,6"x35,4"	GPR	2 pz	1,08	24,12	40 bx	43,20	980
40x60 cm _ 15,7"x23,6"	GPR	5 pz	1,20	25,14	48 bx	57,60	1.222

20 mm thickness available in upon minimum order.

Espesados de 20 mm disponibles bajo pedido mínimo.

60x90x2 cm _ 23,6"x35,4"x0,6"	GPR	1 pz	0,54	24,87	40 bx	21,60	1.010
--------------------------------------	-----	------	------	-------	-------	-------	-------

BESTILE
Time to Create



Pda. Torreta S/N _ 12110 - Alcora_Castellón (ESPAÑA) _ +34 964 367 320